

ST-2

Solar Panel Cleaning Machine

This product is a handheld manual cleaning brush, consisting of a 3.6-11.4m telescopic rod, a brush head, and an internal water supply to achieve efficient cleaning effect. It can be used for cleaning media such as solar panels, high-altitude glass, exterior walls, and floors, and has a wide range of applications.

ST-2



Adjustable



Retractable



Lightweight



High-quality

ST-2



KEY FEATURES

1

Adjustable brush angle for optimal cleaning.

Wide-angle brush for effortless, full coverage cleaning.

Patented 100-Blade Rotating System

3

Lightweight design for effortless handling.

520g ultra-light brush

Adapts to solar panels & heights with agile performance.

2

Extendable up to 11.4m for full reach.

To ensure excellent usability, the carbon fiber telescopic pole is available in 10m and 11.4m lengths, while the aluminum alloy telescopic pole comes in 3.6m, 4.8m, 6m, 7.5m, and 9m options.

4

Quality Materials – Dependable in Use

Pure Copper Dual Nozzles | High-Quality Bristles – Durable & Long-Lasting

Premium Telescopic Pole | Pressure-Resistant PU Hose | Lightweight High-Strength Panel

SPECS



Cleaning Machine	STANDARD / PUMP VERSION				
Telesc. pole material	Aluminum alloy				
Telesc. pole length (m)	3.6		4.8		6.0 7.5 9.0
Hose length (m)	23.6		24.8		26 27.5 29
Brush width (cm)	35 / 55				
Telesc. pole material	Carbon fiber				
Telesc. pole length (m)	10		11.4		
Hose length (m)	30		31.4		
Brush width (cm)	35 / 55				

Pump Specs

Voltage	DC 24V
Power	120W
Power adapter	AC100-240V , DC 24V

Configuration

							
	User Manual	Control Valve	Faucet Connector	Antifreeze hose	Pumping Pipe	Water Pump	Power Converter
Standard	■	■	■				
Pump version	u	u	u	u	u	u	u